




Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.









MISSOURI BOTANICAL GARDEN ENGELMANN PAPERS









Denity in Somither.

A POTHES.

MISSOURI BOTANION CARDEN GEORGE ENGELMANN PAPERS






copyright reserved cm


BOTANICAL GARDEN



MISSOURI BOTAVILLA GARDEN GEORGE ENGELMANN PAPERS












MENTALLE OF THE CONTRACTION OF T

LENRY DIERS,


MISSOHRI BOTANICAL GARDENS GE ROE ENGELMANN PAPERS









MISSOURI BOTANICAL GARDEN .









SSOURI BOTANICAL GARDEN GEORGE ENGELMANN FAPERS












MISSOURI BOTANIGAL GARDENS
OF RGE ENGELMANN PAPERS









Whynok Spirostylis Brest, Schull. 1916 - Lovanthus Grahami Buth N. Hander 62 group. Obv. Lorde : Li Pirres

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Spiraea chamaedrifolia L. \beta. ul- | Ervum Terroni Ten. a. mifolia 1.

- confusa Rgl. et Kcke. l.

3. mollis Koch 1.

crenata Willd. 1.

digitata Willd. p.

— Douglasi Hook. 1.

- laevigata L. l.

- lobata Murr. p.

- Nobleana Hook. 1.

-- oblongifolia W. et K. 1.

- obovata W. et K. l.

- salicifolia L. l.

— α. bethlemensis l.

— — Billardieri l.

- - γ . eximia 1.

- d. Lenneana l.

ε. semperflorens l.

— – ζ. speciosa l.

- tomentosa L. l.

- triloba L. l.

Amygdaleae.

Prunus virginiana L. 1.

Papilionaceae.

Abrus praecatorius L. 1. Astragalus hamosus L. a.

- hypoglottis L. p.

- melilotoides Pall. p.

- trimestris L. a.

- ebracteatus DC. a. Baptisia australis R. Br. p. Biserrula Pelecinus L. a. Caragana arborescens Lam. 1.

- frutescens DC. 1.

— — β. grandiflora Rgl. 1.

— — γ. stipulis spinescentibus Rgl. 1.

— microphylla Lam. 1.

- pygmaea DC. 1. Coronilla cretica L. a. Cytisus albus L. 1 fr.

- elongatus W. et K. 1.

- nigricans L. 1.

Ervum nigricans M. B. a.

pendulum Roth. a.

- vicioides Desf. a. Galega officinalis L. p.

-- orientalis Lam. p. Genista canariensis L. l. fr.

— candicans L. β. subspicata

Webb. 1. fr.

- congesta Lk. l. fr.

- ramosissima Webb. 1. f..

- Spachiana Webb. 1. fr. Glycine clandestina Wendl. 1. fr. Goodia lotifolia Salisb. l. fr.

- medicaginea F. Müll. l. fr.

Hedysarum obscurum L. p.

- sibiricum Poir. p. Hippocrepis ciliata W. a. Indigofera tinctoria L. a. c. Lathyrus angulatus L. a.

- annuus L. a.

- Cicer L. a.

- Clymenum L. a.

- lusitanicus Mart. a.

— pisiformis L. p.

-- purpureus Desf. a.

- sativus L. a.

- sphaericus Retz. a.

- tuberosus L. p.

Lotus conimbricensis Brot. a. Lupinus angustifolius L. a.

- Barkeri Lindl. a.

— bicolor Lindl. a.

— elegans H. B. K. β. hy-

bridus Rgl. a.

- linifolius Roth. a.

- nootkaeensis Don. p.

- Termis Forsk. a.

Medicago Berteroana Moris. a.

- ciliaris W. a.

- denticulata W. a.

— Echinus DC. a.

- Gerardi W. et K. a.

- heterocarpa Spach a.

— Hornemanniana Ser. a.

- laciniata All. a.

- lappacea Lam. a.

— β. pentacycla Gr.

Godr. a.

- maculata W. a.

-- marginata W. a.

— minima L. a.

Murex W. a.

GARDEN

Medicago muricata All. a.

- nigra W. a.

- nummularia DC. a.

- obscura Retz. a.

— orbicularis All. a

- polycarpa W. a.

— — β apiculata Gr. et Godr a.

- pulchella Tod. a.

reticulata Bnth. a.

- scutellata All. a.

- sphaerocarpa Bertol. a.

— Terebellum W. β. catalonica Schrank a.

- tornata W. a.

- tribuloides Lam. a.

- tuberculata W. a

- turbinata W. a.

— — var. oliviformis Gr. et Godr. a.

Melilotus elegans Salzm. a.

— italica Lam. a.

— macrorhiza Pers. a.

- messanensis Desf. a.

– parviflora Desf. a.

— speciosa Durieu a.

- sulcata Desf. a.

Ononis geministora Lag. a.

monophylla L. a.

Ornithopus compressus L. a.

-- isthmocarpus Coss. a. Orobus lathyroides L. p.

— luteus L. β. orientalis F.

et Mey. p.
- niger L. p.

Oxytropis strobilacea Bnge. p.

Pisum maritimum L. p.

Pocockia cretica DC. a. Psoralea triantha E. Mey. l. tr.

Scorpiurus subvillosa L. a. sulcata L. a.

- vermiculata L. a. Mississe Securigera Coronilla DC. a. Soja hispida Moench a. c. Spartium aetnense Biv. l. fr. Tetragonolobus purpureus

Moench. a.

Tetragonolobus conjugatus Ser.

a.

Thermopsis fabacea DC. p. Trifolium agrarium L. a.

- alexandrinum L. a.

- Boissieri Guss. a.

- glomeratum L. a.

— hirtum All. a.

- incarnatum L. a.

— - β. Molineri DC. a.

- involucratum L. a.

— maritimum Huds. a.

- montanum I. p.

- Oliverianum Ser a

Oliverianum Ser. a.
parviflorum Ehrh. a.

- spumosum L. a.

- squarrosum L. a.

-- suaveolens W. a.

- subterraneum L. a.

— trichocephalum M. B. p. Trigonella arcuata C. A. Mey. a.

- Balansae Boiss. et Reut. a.

— calliceras Fisch. a.

-- gladiata Stev. a.

- monantha C. A. Mey. a.

- ovalis Boiss. a.

- pinnatisida L. a.

- polycerata L. a.

- Spruneriana Boiss. a.

— uncinata Ser. a.

Vicia atropurpurea Desf. a.

— bithynica L. a.

- calcarata Desf. a.

- cordata Wulf. a.

- disperma DC. a

- hybrida L. a.

lastoo T

- lutea L. a.

- narbonensis L. a.

-- Nissoliana L. a.

— pannonica Jacq. a.


- peregrina L. a.

Pseudo-Cracca Bertol. a.

- segetalis Thuill. a.

- sylvatica L. a.

- villosa Roth. a.




BOTANICAL copyright reserved cm GARDEN



MISSOURI BOTANICAL GARDEN BE-REE ENGELMANN PAPERS







HOLD STATE Of STATE OF THE STAT

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





MISSOURI BOTANICAL GARDEN





MISSOURI BOTANICAL WARDEN GEORGE ENGELMANN PAPERS






MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



"310. Viscum Reichenbachianum, Seem., nov. (7ab. LXII.); glabrum, vanis terstibus, folise oblongo-falcatis obtusis basi attenuatis 5-). nervis, spicis axallaribus confirtis sessilibus articularis, articulis raginulatis, floribus masc. trimeris, baccis xxx Sierra Madre (no. 2141); New Mexico, (might) Allied to V. brachystachymm, de Cand, and named in honour of my learned friend G. H. Reichenbach, fil., Profusor of Brang in the University of Leipzig. Leaves from the Jinches long, /2 - 2 inche board. Plate ZXII. Fig. 1, portion of male spike; 2, pengomium of male flower, in bud; 3, the same open; 4, loke of pengonium, with a chamen; or, anthers; 6, pollen: _ all magnifict. From Sermani, Not. Voy. Hirald, p. 294. S. Westin



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

